

Problem solving: Clearing / Removing Temporary Files created by the database, AKA: What to do if your App fails to open with a "Cannot lock database" Error

The Orix Database is very robust and reliable, but in certain circumstances such as unplanned shut down temporary files used by the database may not be deleted. If large numbers of these files build up Orix can have problems trying to start a new instance of your App.


An error will show "Cannot lock the database for shared access". If you simply try to start your App again it will usually open. But the temporary files will persist and continue to cause this issue. To resolve the issue they should be deleted.

If the issue occurs it may be sensible to program a procedure into your App to automate the removal of these files.

NOTE: You cannot do any damage to your system by trying to delete these files. If a file is in use you will see a "cannot delete" message, and you will have to leave this file. It can be deleted later, for example after you have restarted your system, or after enough time has passed to allow the file to become unlocked.

Also the presence of these files is perfectly normal. In a large system each user can create hundreds of Temp-files, so it is normal for this folder to contain hundreds or thousands of temp files.

What to do if your Orix App shows "Cannot lock the database" error on Start-up




Error: Cannot lock the database Data for shared access

To fix this problem usually all that is needed is to delete some or all of the temporary files created by your App.

How to delete temporary files created by your App

It is best to restart your computer prior to this step, restarting will "unlock" any Temp files which are still being held by a database process. Restarting may also cause some of the excess files to be deleted by the database itself as it shuts down.




Find the folder which contains the files


1. Open Windows explorer. Find the "Temp" folder for your system. This is usually in the following location:
C:\<My App Name>\Database\Temp, but it may be in another location.

To find the location of the Temp folder check in EDB Server:

Locating the "Temp" folder for your App Database



EDB Server Temp Folder Location



Temp Files


The Temp folder will usually show a long list of files with file extensions ".EDBlib", ".EDBidx" and other similar names.

If the database is running these files may well be active and in-use by your Orixia App.

Click on one of these files and press [CONTROL] + A. This will select all the files in the folder. Now press Delete to start the deletion process.

It is often sensible to **remove disconnected or expired sessions** before undertaking the next step. In this case, review actions in the following link:

[Solving the "Cannot lock Table XXX" Error message](#)



Deleting Temporary Files, "File in Use" Message

If a file is still locked, either by an active session of the database, or by a "hanging" lock from a session which is actually shut down, the "File In Use" message will show, as in the image on the left.

1. Tick the "Do this for all current items" tick-box.
2. Click "Skip".

It should be possible to delete these files later, for example after a full system restart.

Usually once the temporary files are wholly or partially deleted your App should start without issues.

The "Cannot lock database" error is not a critical error indicating a big problem, it results from your computer having problems processing the large numbers of files in the Temporary Files folder if a large number have built up over time.