Society Evaluations

Purpose

The SocietyEvaluations data-table holds data for a range of data-points relating to evaluations of the Societies and Zones KKFU work with. It is a **child data-table** which links to Societies.

It includes data-fields such as "MeetingsPerYear", to list the number of times the society members meet. Several of the fields are **types** list-fields allowing a **rating** to be selected such as "good" / "fair" / "poor" etc.

A full listing of **all** the fields in the data-table with their purposes and any automation built into the App is laid out below. To fully understand the purpose of the data-fields please consult this.

> NOTE: The SocietyEvaluations entity was added to KKSys in around 2014, but because IT staff employed at the time left the company it has never been used. It is still available and can start to be used at any time. Prior to serious use the data-structure and data-fields should be reviewed, unnecessary fields can be removed, and more useful fields could be added.

How and when to access Society Evaluations

The edit form is accessible from the child data-entity on the KKSys System Entities scree, and is shown below.

SocietyEvaluations

Data-schema

Field- Name and Data-type	Description / Purpose	Possible Values	Coding / Automation
ID (Primary Key)	Unique number which identifies each record.		Automatically set by Orixa, not under the control of users or developers.
SocietiesID (Link-ID)	Links to the Societies table	Selected from list by User	Will default to the currently open Societies ID
DateDone (Date)	Self explanitory	Entered by user	
InspectorID (Link-ID)	Links to the Staff table	Selected from list by User	
Findings (Long Text)	Self explanitory	Entered by user	
GenderEqualityID (Link-ID)	Links to the Types table	Pick from list of possible Types values.	
RegularMeetings (true/false)	Self explanitory	True / false	Default value: False
MeetingsPerYear (Number)	Self explanitory	Any number value	Default value: 0
AccessibilityID (Link-ID)	Links to the Types table	Pick from list of possible Types values.	
MinutesBookKept (true/false)	Self explanitory	True / false	Default value: False
MinutesBookSigned (true/false)	Self explanitory	True / false	Default value: False
DocumentsWellFilled (true/false)	Self explanitory	True / false	Default value: False
WrittenByLawsInPlace (true/false)	Self explanitory	True / false	Default value: False
InterestLevelID (Link-ID)	Links to the Types table	Pick from list of possible Types values.	
ApplicationStatusID (Link-ID)	Links to the Types table	Pick from list of possible Types values.	
UpToDateMembershipListAvailable (true/false)	Self explanitory	True / false	Default value: false
FarmersLedgerBooksPresent (true /false)	Self explanitory	True / false	Default value: False
ProducePaymentBookPresent (true /false)	Self explanitory	True / false	Default value: False
WaybillBookPresent (true/false)	Self explanitory	True / false	Default value: False
HasShed (true/false)	Self explanitory	True / false	Default value: False
HasScales (true/false)	Self explanitory	True / false	Default value: False
HasChemicalsList (true/false)	Self explanitory	True / false	Default value: False

Field- Name and Data-type	Description / Purpose	Possible Values	Coding / Automation
SuggestionsFromFarmers (Long Text)	Self explanitory	Entered by user	
DateCreated (Timestamp)	Set to the exact date and time the record was first created.		Automatically set by Orixa, not under the control of users or developers.
AuthorID (Integer)	Self explanitory		Automatically set by Orixa, not under the control of users or developers.
Current (true/false)	Untick this field if the record is out-dated, no longer in use or discontinued.	True / false	Default value: true
SocietyOfficerID (Link-ID)	Links to the Farmers table	Selected from list by User	Dependent, PeopleWithSocietyLUList, SocietiesID, Farmers